

Quick start sandbox in your app


Info: Remember that this is a sandbox version. This means that the transaction is a test. No fees will be charged for executing payment.

The required steps for setting up a Paytool sandbox in your application

1. Call Paytool API by executing transaction initialization method. You can use the cURL below to do it.

```
curl --location 'https://paytool-api.verestro.dev/external-api/transactions' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Basic bWVyY2hhbnRfcGF5dG9vbF9kZW1v0mthcHNhbG9uUGFzcw==' \  
--data-raw '{  
  "amount": 100,  
  "autoDeposit": true,  
  "currencyCode": "PLN",  
  "description": "Test transaction",  
  "merchantUrl": "https://paytool.verestro.dev/demo/",  
  "redirectUrl": {  
    "successUrl": "https://paytool.verestro.dev/demo/",  
    "failureUrl": "https://paytool.verestro.dev/demo/"  
  },  
  "sender": {  
    "firstName": "John",  
    "lastName": "Doe",  
    "email": "testjohn@gmail.com",  
    "address": {  
      "countryCode": "PL",  
      "city": "Warszawa",  
      "postalCode": "03-672",  
      "street": "Promienna",  
      "houseNumber": "10"  
    }  
  }  
}'
```

2. In the response to the cURL call, we will return the `transactionId` and the URL to which you should redirect the payer. This URL address will open the Paytool view shown below:



Revision #19

Created 13 May 2025 11:17:54

Updated 24 October 2025 06:21:05